


# Lufkin®

## MEASURING EQUIPMENT

For over a century the name of Lufkin has been associated with quality measuring tools. Lufkin short, long, pocket and special purpose tapes are joined by a host of other products matched to the need of the architect, surveyor, home craftsman, carpenter – in fact, anyone who measures. Lufkin was appointed official supplier of measuring tapes to the 1976, 1980, 1984, 1988 and 1992 Olympic Games, the 1978, 1982, 1990 and 1994 Commonwealth Games. Lufkin has had Official Status in numerous meets in the South Pacific, Carribean and South America.

All Lufkin brand pocket tapes, up to and including 10 metre, manufactured at the Albury plant, are 100% inspected against a Bench Standard.

The Bench Standard No. WO 4459 is traceable to an American Standard NBS 13785. This Standard exceeds Australian Standard AS 1290-4-1995, with regard to accuracy.



Many Lufkin products  
are licensed Australian  
Made Products

## Measuring Tapes Ultimate & Ezy Read

### ULTIMATE TAPES

All new easy to read white tapeline

#### Features

- Fully Guaranteed
- Accurate Measurement - complies with AS 1290-4 1995. In an easy to read black and red print on an all new white tapeline.
- Case designed to fit the hand
- Strong A.B.S. plastic case
- Sliding end hook automatically adjusts for inside and outside measurements
- Built-in shock absorbing bumper
- Positive non-slip blade lock
- Bright, distinctive colours - Hard to lose.
- Removable belt clip

#### Anti-Theft "CLIPLOK"

The anti-theft "Cliplok" is designed as a pilfer resistant feature to deter the would be, in-store thief from removing the valuable Lufkin stock from the hang-up card, to a belt or pocket. With patent pending, the unique anti-theft "Cliplok" is cleverly designed to work in two ways:

1. With a section of the extra strong hang-up card slotting back inside the top of the belt clip, thereby restricting the removal of the tape from the card, and
2. A circular die-cut section folded back inside the belt clip, again assisting restriction in removal. Both acting as a deterrent for possible in-store theft.

### EZY-READ™

#### Features

- Ezy-Read Tapeline  
Each numeral on the tape is totally distinct from other numbers. This enables excellent definition and makes it difficult to misread the measurement.
- Perfect for measuring applications where the tape is directly away from the operator, such as vertical measurements or measuring long objects or items.
- Compatible with either left or right handed operation.
- World leading printing technology giving even greater accuracy.



EZY-READ  
TAPE BLADE



### SHORT TAPES

Blades are finished with 'Lufkote', a transparent, abrasive resistant coating for durability and long life.

All yellow clad blades have an added matt finish which reduces glare and permits the user to write on the surface with a pencil and erase easily by rubbing with the finger.

Bold two colour markings make for easy reading. Self-adjusting end hooks. Metric, Metric/English and English blades with refills available on most models.

#### Short tapes – Prefixes

- C – Chrome clad
- R – Replacement blade
- Y – Yellow clad

#### Suffixes

- SI – System International, all metric graduations
- M – Metric graduation
- ME – Metric/English graduations, millimetre numbering
- CM – Metric graduations, centimetre numbering
- CME – Metric/English graduations, centimetre numbering
- D – English graduated feet and decimal feet along one edge, feet and inches along other edge
- PM – Metric diameter
- PD – English diameter

Material Number	Description mm/in Length/Width	APN/UPC	Shelf Pack
-----------------	--------------------------------	---------	------------

### WHITE BLADES ULTIMATE TAPES Carded

UW148VSI	8m x 25mm	■ 261467	4
UW148VME	8m/26' x 25mm	■ 261405	4

### Bulk Display Packs

UW138SI12	8m x 19mm	■ 261337	12★
UW148SI10	8m x 25mm	■ 261450	10★
UW138ME12	8m/26' x 19mm	■ 261276	12★
UW148ME10	8m/26' x 25mm	■ 261399	10★

### EZY-READ TAPE Carded

ELW148VSI	8m x 25mm	■ 270001	6
-----------	-----------	----------	---

### Bulk Display Pack

ELW148SI10	8m x 25mm	■ 270032	10★
------------	-----------	----------	-----

★ THESE PACKS CANNOT BE BROKEN

Lufkin tapes and rules are manufactured to comply with Standards of the Standards Association of Australia.

Standard temperature for steel tapes is 20°C (68°F).

Coefficient of expansion for steel tapes is 0.0000116 per degree Celsius/0.0000645 per degree Fahrenheit.

Standard tension for most long steel tapes, when fully supported throughout their entire length, is 50N (10lbs for English only tapes).

Surveyor's tapes of heavy gauge steel have a standard tension of 75N (10lbs. for English up to 100 ft. long and 20lbs for English over 100ft long).

Standard tension for Dacron and Fibreglass long tapes is 20N/4 lbs.

We cannot guarantee the accuracy of tapes used in catenary as many factors affect the use of tapes in this manner.

All Lufkin steel tapes have clear Lufkote protection to provide wear and corrosion resistance.

Lufkin brand metal long tapes, up to and including 50 metre, are manufactured and inspected to Canadian Government Specification Board Standard 39-GP-22M.

Compliance to Clause 5.3.3.7, Accuracy, of the above Standard is inspected against Bench Standard WO-304-4 which is traceable.

Tapes complying with 39-GP-22M will also comply with AS 1294-1980, Coated and Etched Steel Measuring Tapes.

## Multiread Tapes



Material Number	Description Length/Width	APN/UPC	Shelf Pack
<b>Carded</b>			
MR46M	6m x 25mm	93291392	6
MR49M	9m x 25mm	■ 270537	6
<b>Bulk Display Packs</b>			
MR46M10	6m x 25mm	93264303	10★
MR49M10	9m x 25mm	■ 270568	10★

### Features

- Has centre scale that includes the tape case, for inside measuring
- Left or Right Handed Tape using separate outer scales
- Scales are synchronised on one face of the tapeline
- Fits precisely between work edges
- 90° Right Angle case
- Sure toggle lock button and overcentre lock-shoe
- Small 3 inch compact tape case in two 6 metre versions
- Extended tape mouth - White Blade, Hi-viz case
- Available in 6 metre or 9 metre Metric, all with 25mm/1" wide blade and interactive packaging



★ THESE PACKS CANNOT BE BROKEN

## Fluorolok



Material Number	Description Length/Width	APN/UPC	Shelf Pack
<b>FLUORO COLOURED CASE Yellow Blades</b>			
<b>Carded With Metric S.I. Blade</b>			
FL48VSI	8m x 25mm	■ 316952	4
<b>Carded With Metric English Blades</b>			
FL48VME	8m/26' x 25mm	■ 316907	4
<b>Bulk Pack With Metric S.I. Blades</b>			
FL35SI12	5m x 19mm	■ 001728	12★
FL38SI12	8m x 19mm	■ 001827	12★
100192	8m x 25mm (FL48SI10)	■ 001926	10★
<b>Bulk Pack With Metric/English Blades</b>			
FL38ME12	8m/26' x 19mm	■ 001803	12★
FL48ME10	8m/26' x 25mm	■ 001902	10★

- 90° Right Angle Case
- Sure toggle lock button and over centre lock-shoe
- Extended tape mouth, Hi-Viz case
- Yellow blade graduated in mm on both edges
- Bright coloured case that stands out in the tool box
- Removable belt clip
- Manufactured in Australia to comply with Australians standards AS 1290-4-1995

★ THESE PACKS CANNOT BE BROKEN



## Unilok



Material Number	Description Length/Width	APN/UPC	Shelf Pack
<b>Black Case (Yellow Clad, Carded)</b> With Metric S.I. Blades			
Y3SI	3m x 13mm	▲ 93290999	6
Y835SI	5m x 19mm	▲ 93290951	6
Y838SI	8m x 19mm	▲ 93290937	6
Y848SI	8m x 25mm	▲ 93290913	6
With Metric/English Blades			
Y3ME	3m/10' x 13mm	▲ 93290982	6
Y835ME	5m/16' x 19mm	▲ 93290944	6
Y838ME	8m/26' x 19mm	▲ 93290920	6
Y848ME	8m/26' x 25mm	▲ 93290906	4

## Unilok Bulk Pack



### Unilok Tapes Bulk Pack

With Metric S.I. Blades

Y3SI12	3m x 13mm	▲ 93291101	24★
Y833SI	3m x 19mm	▲ 93291088	25★
Y835SI25	5m x 19mm	▲ 93291064	25★
Y838SIBLK	8m x 19mm	▲ 93291057	25★
Y848SI18	8m x 25mm	▲ 93291033	18★
With Metric/English Blades			
Y3ME12	3m/10' x 13mm	▲ 93291095	24★
Y835MEBLK	5m/16' x 19mm	▲ 93291343	25★
Y838MEBLK	8m/26' x 19mm	▲ 93291040	25★
Y848MEBLK	8m/26' x 25mm	▲ 93291026	18★

□ THESE PACKS CANNOT BE BROKEN

## XL Power Tapes



### WHITE BLADES

Blaze Orange Case with Rubber Surround Grip (Carded)

XL410MAU	10m x 25mm	▲ 93291385	2
XL410ME	10m/33' x 25mm	▲ 93291378	2
Bulk Pack of 8 Tapes			
XL410M8	10m x 25mm	■ 000844	8★
XL410ME8	10m/33' x 25mm	■ 000837	8★

□ THESE PACKS CANNOT BE BROKEN

## Lufkin Merchandiser Display Unit



100018AU		■ 002404	1
----------	--	----------	---

### BENEFITS:

- Eye catching display to encourage impulse purchases.
- Provides a neat and tidy display of all your Lufkin tapes, carpenters pencils and other Bulk Display Packs of Cooper Tools Products.
- Increase the exposure of Lufkin tapes to customers.
- Compact design for counter top placement.
- Provided with clear, stick-on price display strips.

Contact your Cooper Hand Tools Sales Representative for more details.

## AutoLock Tape Measure



Material Number	Description	APN/UPC	Shelf Pack
AL825M	Tape Measure - AutoLock 8m x 25mm	■ 270254	8★

- Non-slip Co-Moulded Rubber Grip
- Tough Hi-Viz® Orange ABS Plastic Body
- Perfect for layout work and any other situations where a yardstick style tape measure is preferred
- The blade stays extended automatically until you squeeze the release to retract it with maximum control
- Retraction is easier to control than on tapes with a standard slide button blade lock
- Blade Lock on the AutoLock is recessed so there's no chance of an accidental, and possibly dangerous, uncontrolled tape retraction
- Clear coat Blade Protection for more durable markings
- Steel-Reinforced End Hook for longer blade life

★ SHELF PACKS CANNOT BE BROKEN

## Big Boss Tape Measure



LBB830	Tape Measure - Metric only 8m x 30mm	■ 001582	8★
--------	---	----------	----

- Big Boss heavy duty wide blade tape measure
- Bright Hi-Viz Orange and Black colour tape case fits firmly in the hand
- Tape Blade 8m x 30mm metric only
- Dura Blade (nylon) coated blade
- Heavy duty 4 rivet end hook
- Heavy duty belt clip
- Hang sell Blister card and packed in attractive counter box qty of 8
- Nylon coated blade

★ SHELF PACKS CANNOT BE BROKEN

## Artisan Diameter Tape



Chrome Clad. Diameter to mm

C106PM	6.5m x 10mm	● 060273	1
--------	-------------	----------	---

- Rugged, vinyl-covered steel case
- .008" thick blade
- Large easy winding drum and friction washers

## Executive Diameter Tape



W606PM	2m x 6mm	● 458537	6
--------	----------	----------	---

- Designed for measuring diameters of pipe, cable, tyre or any circular object
- Zero falls in the same place on each side of the blade; conversion from diameter to circumference is made simply by turning the blade
- Yellow clad blade
- Easy-to-read bold graduations on yellow background
- Spring action returns blade to case

## Artisan Tree Tape



Chrome Diameter. Tape Metric

C106TPM	6m x 10mm	● 060266	1
---------	-----------	----------	---

- One side of tape shows length, distance around object. Other side of tape shows diameters of object measured
- Rugged, vinyl-covered steel case
- .008" thick blade
- Large easy winding drum and friction washers

## Pee-Wee



(Yellow Clad, Carded) with Metric/English Blades

Y613ME	3m/10' x 6mm/1/4"	● 454676	6
--------	-------------------	----------	---

- Pocket size ideal for the office
- High strength case
- Power retraction operation

## Long Tapes - Speedwinder Steel Tape



Material Number	Description Length/Width	APN/UPC	Shelf Pack
<b>With Metric Blades</b>			
HTY30MM	30m x 10mm	■ 454906	1
HYT50CM	50m x 10mm	■ 454722	1
<b>(Yellow Clad) with Metric/English Blades</b>			
HTY30MME	30m/100' x 10mm	■ 454593	1
HYT50MME	50m/164' x 10mm	■ 454944	1

- Impact resistant, attractive, self-standing case
- Heavy duty yellow clad blade protected by an abrasion resistant coating; 0.008"/2mm thick
- New design extends, measures and rewinds in less time than conventional long steel blades
- Easy-to-read bold black markings

## Universal Steel Tape - Hi Viz Orange Case



### Metric/English Blades

HYF30M	30m x 10mm	■ 455613	4
HYF30ME	30m/100' x 10mm	■ 455453	4

- High impact case; available in Hi-Viz® orange
- Yellow clad blade .005"/0.13mm thick easy-to-read black and red markings
- Easy wind nylon drum
- Hook ring is retained neatly in the contoured mouth of the case, 2-sided end hook for use with either scale
- Removable belt clip
- All tapes are carded

## Long Tapes - Fibreglass Tape



FM030CME

FM060CME

FM100CME

FM030CME	30m/100' x 13mm/1/2" Hi-Viz® Orange Fibreglass Tape, Metric/Imperial	● 224156	6
FM060CME	60m/200' x 13mm/1/2" Hi-Viz® Orange Fibreglass Tape, Metric/Imperial	● 224194	2
FM100CME	100m/330' x 13mm/1/2" Hi-Viz® Orange Fibreglass Tape, Metric/Imperial	● 224187	2

- 2 sided blade for clear and easy reading. Metric on one side, Imperial on the other
- Open four-arm frame design protects blade, does not trap dirt in case
- Lightweight but strong case is easy to handle and rewind
- Two-material grip is comfortable to use
- Hi-Viz® orange case is easy to find on the job site
- Folding end hook for true-zero measurements
- Yellow clad fibreglass blade impervious to moisture
- Feet and inches to 8ths; metric to millimetres, numbered in centimetres

## Long Tapes - Professional Series



PSFM030CME	ProSeries fibreglass long tape 30m/100' x 20mm		2
PSFM060CME	ProSeries fibreglass long tape 60m/200' x 20mm		2
PSFM100CME	ProSeries fibreglass long tape 100m/330' x 20mm		2

- Includes 3 interchangeable end hooks and stake
- Ring end hook snaps onto stake for 1-person measurements
- Standard folding end hook for general measuring needs
- Appraiser's hook attaches to oversized objects such as downspouts
- 3-to-1 rewind for fast blade retraction
- 20mm blade is more durable, large numbers are easy to read
- 2-sided blade, metric on one side, imperial on the other
- 62 fibreglass strands and double PVC coating for durability and strength
- Cushion grips on handle and frame arms for comfort

**Due to arrive early 2009.**

## Calibrated Measuring Tapes



Y838SIC	8m x 19mm - supplied in red Unilok style case.	■ 260507	1
---------	--	----------	---

The uncompromised quality for which Lufkin is renowned is further exemplified through their certified measuring tapes. These tapes have been thoroughly checked against a traceable national standard, quoting variations from nominal readings. Each tape is serial numbered and is cross referenced on the certificate of calibration.

## Measuring Wheels

Lufkin measuring wheels are calibrated to the digital indicator for accuracy. Their flexibility makes them useful on horizontal, vertical, even curved surfaces. Moulded rubber tyres resist corrosion while the tough plastic wheels withstand heavy use for a long service life. Telescoping handle height is comfortable for most users.

### Executive MW18M

- Compact measuring wheel fits into a toolbox or most briefcases.
- Telescopic handle adjusts to a comfortable height for most users.
- Measure up to 9,999 metres.



### Contractor MW38M

- Large diameter wheel for best accuracy on rough surfaces.
- Long distance measuring wheel.
- Measure up to 9,999 metres.
- Measure straight or curved surfaces.
- Heavy duty wheel.
- Curved telescopic handle.



### Deluxe MW500

- 500mm circumference wheel for accuracy as well as for convenience and compact storage.
- 160mm diameter wheel.
- Folds easily to one third its length and snaps back to full length.
- Tested accuracy over 30 metres - 25mm = 99.90% accurate.
- 1.10kg total weight without bag.



### Classique Professional MW1000

- 1 Metre circumference wheel for accuracy (ground to size)
- 318mm diameter wheel.
- Folds easily in half and snaps open to full size.
- Debris removing tyre scraper for finer measurement.
- Kick down stand.
- Tested accuracy over 30 metres - 10mm = 99.96% accurate.
- Confirmed independent accuracy tests done in UK.
- Trigger brake.
- 2.10kg total weight.
- Carry handle when folded.



Material Number	Description mm/in	APN/UPC	Shelf Pack
MW18M	Executive Wheel Dia. 95mm	● 142061	1
MW38M	Contractor Wheel Dia. 315mm	● 142078	1
MW500	Deluxe Meas Wheel Dia. 160mm	● 332037	1
MW1000	Classique Pro Dia. 318mm	● 032029	1

## Stud Detector




LSD1	170mm x 20mm	■ 111359	12
------	--------------	----------	----

- Multi sensor indicator
- Instant sense & display
- Audible & visible
- Low battery warning
- Digital micro chips
- 2 x 1.5r Batteries included



## Combination Square




Material Number	Description mm/in	APN/UPC	Shelf Pack
LCS6	Stainless Steel 150mm/6"	■ 031886	6
LCS12	Stainless Steel 300mm/12"	■ 031862	6

- Brass Knurl Nut and Scriber Head.
- Sturdy zinc sock.
- Made in U.S.A.
- Metric inch graduations.

N060	Metal 300mm/12"	● 062161	12
------	-----------------	----------	----

## Rafter Framing and Carpenters Squares



LRS24	Rafter Square 600mm x 400mm	■ 031879	1
-------	-----------------------------	----------	---

- Made of high grade, tempered steel.
- Thermo bonded graduations on yellow background.
- Made in U.S.A.

N062	Carpenters Square 200mm x 300mm	● 062185	24
NRS24	Carpenters Square 600mm x 400mm	■ 901950	1

## Folding Rules



LFSME	1m/39" 4 - fold Yellow (Square)	■ 032104	6
LFSSI	1m 4 - fold Yellow (Square)	■ 032111	6
LFBME	1m/39" White (Bevelled)	■ 103217	6
LFBSI	1m White (Bevelled)	■ 032135	6

## Stainless Steel Rules

LSR300



LSR600



**4 SIZES AVAILABLE**

LSR150	150mm/6" x 15mm x 1mm	■ 103224	100
LSR300	300mm/12" x 23mm x 1mm	■ 322663	20
LSR600	600mm/24" x 28mm x 1mm	■ 322779	10
LSR1000	1000mm/40" x 35mm x 1mm	■ 322885	10

- Rustless Steel, deeply etched for easy reading
- Upper edge subdivided mm and 1/2mm; lower edge subdivided 1/8", 1/32" and 1/64"

## Aluminium Metre Stick

LAR1000	1000mm x 35mm x 2mm - Yellow	■ 032517	1
---------	------------------------------	----------	---



- Made in USA

## Digital Calipers



LDC6

LDC6	150mm/6"	■ 031923	10
LDC8	200mm/8"	■ 031930	10

- Premium Quality
- Large, Clearly Visible Display
- Measures Internal, External, Depth & Step
- Converts Metric to Inches with the Press of a Button
- Zero Setting at any position
- Hardened to Ensure Accuracy is Maintained
- Reading to 0.01mm & 0.001"



## Spirit Levels



L60V80



L60V120



LLBD



L60V120S



LTL1



Material Number	Description	Vial	APN/UPC	Shelf Pack
-----------------	-------------	------	---------	------------

### Lufkin Pro Series Range

L60V60	60cm - Level	3	■ 110024	1
L60V80	80cm - Level	3	■ 110048	1
L60V120	120cm - Level	3	■ 110086	1
L60V200	200cm - Level	3	■ 110123	1
LLBO	120cm Orange Bag		■ 111007	1

### Lufkin Level With Carry Bag

L60V120S	Ribbed Box Section Level 120cm with orange carry bag	3	■ 110079	10
----------	--	---	----------	----

### Magnetic Torpedo Level


LTL1	230mm x 48mm	3		
------	--------------	---	--	--

- 3 Vial - Horizontal, vertical and 45 degree
- Rubberised, easy grip tapered ends
- Magnetic base
- Aluminium frame with ABS body

## SOLA® Levels



BIGX60



NAM50

BigX60	60cm	2	9002719016069	1
BigX80	80cm	2	9002719016076	1
BX120	120cm	3	9002719016090	1
BGX200	200cm	3	9002719016120	1

- X shaped Profile for comfortable grip
- Aluminium box section profile
- Profile weight 630g/m
- Dimensions approx. 51 x 25mm
- 1 Horizontal vial with 30° magnification & continuous rings
- 1 Plumb vial
- Ideal for Building trade, bricklayers, tilers and pavers
- Antistatic
- 2 & 3 Vial models
- Fluorescent backing of vials
- UV Resistant (20 years) in vial

NAM13	Inclinometer On Magnetic Level - 13cm		9002719001089	1
NAM50	Inclinometer On Magnetic Level - 50cm		9002719001102	1

## Lufkin Box Levels



LL60A



LL80A



LL120A

LL60A	Box Section 600mm	2	■ 110604	1
LL80A	Box Section 800mm	2	■ 110802	1
LL120A	Box Section 1200mm	3	■ 110857	1

## Bricklayer's Line



LBL50P



LBL100L

LBL50W	White 50m x No. 8		● 031824	12
LBL50P	Pink 50m x No. 8		● 031817	12
LBL50L	Lime 50m x No. 8		● 103187	12
LBL100W	White 100m x No. 8		● 031855	12
LBL100P	Pink 100m x No. 8		● 131845	12
LBL100L	Lime 100m x No. 8		● 031831	12

ALL APN ■ AND UPC ● CODE NUMBERS SHOWN ARE PRECEDED BY THE MANUFACTURER APN OR UPC I.D. NUMBER ■ 9337103 & ● 037103.

## Carpenters Pencils



Material Number	Description mm/in	APN/UPC	Shelf Pack
CP1	Medium Bulk (Red Pencil)	● 134820	72★
CP2H	Hard Bulk (Green Pencil)	■ 031626	72★

★ SHELF PACKS CANNOT BE BROKEN

HOUSE BRANDING AVAILABLE  
TALK TO YOUR COOPER SALES  
REPRESENTATIVE FOR DETAILS.

## Barricade Tape



BC100	Yellow CAUTION 100m x 75mm	■ 126070	24
BRW100	Barricade 100m x 75mm	■ 126056	24



## Flagging Tape



FT100HV	100m Glo-Orange x 25mm	■ 031756	12
FT100HP	100m Glo-Pink x 25mm	■ 031732	12
FT100HR	100m Glo-Red x 25mm	■ 031749	12
FT100HG	100m Glo-Lime x 25mm	■ 103170	12
FT100R	100m Red x 25mm	■ 131777	12
FT100O	100m Orange x 25mm	■ 131760	12
FT100Y	100m Yellow x 25mm	■ 101794	12
FT100B	100m Blue x 25mm	■ 031701	12
FT100W	100m White x 25mm	■ 131784	12
FT100G	100m Green x 25mm	■ 031718	12

## Safety Vest



SV01	Hi-Viz Safety Vest	■ 122010	1
------	--------------------	----------	---

- Durable & washable light weight nylon.
- Bright orange HI-Viz colour for high visibility in daytime applications.
- Reflective strips for high visibility in low light situations.
- Easy to use velcro fasteners.
- One size fits most.

## Chalk Reels & Chalks

LCR30

LCRC30

LSCRC30



### Chalk Reels

LCR30	Chalk Reel, Aluminium, 30m	■ 031190	6
-------	----------------------------	----------	---

- Contractors Grade marks perfect line every time.
- Easy fill refill.
- Use as a plumb bob.

LCRC30	Chalk & Reel Combo, Aluminium 30m line, 112gm chalk	■ 031220	6
--------	---	----------	---

- 30m contractor grade reel.
- Perfect chalk line everytime with hundreds of applications.
- Easy-fill reel.
- Use as a plumb bob.

LSCRC30	Chalk Reel, ABS, 30m, High Speed	■ 031275	6
---------	----------------------------------	----------	---

- 30m line, push button handle line release.
- Contractor grade string lasts 50% longer.
- Holds 30% more chalk.

### Chalk Powder



LCRD112	Chalk Powder 112g Red	■ 031282	10
LCBL112	Chalk Powder 112g Blue	■ 031114	10
LCRD224	Chalk Powder 224g Red	■ 031299	10
LCBL224	Chalk Powder 224g Blue	■ 031176	10
LCWT224	Chalk Powder 224g White	■ 031107	10



# Lufkin®

PRO SERIES



## Auto Levels



PRO SERIES

**BONUS**  
Safety Vest  
with LAL20XKT

Material Number	Description mm/in	APN/UPC	Shelf Pack
LAL20XKT	Automatic Level Kit, X20	■ 111816	1
<ul style="list-style-type: none"> <li>Includes: Auto Level with Magnetically dampened compensator, Dome Head Tripod, 4m Survey Rod &amp; Hard Carry Case</li> </ul>			
LAL20X	Automatic Level, X20	■ 111748	1
<ul style="list-style-type: none"> <li>Includes: Auto Level &amp; Hard Carry Case</li> </ul>			
LAL24X	Automatic Level, X24	■ 111755	1
<ul style="list-style-type: none"> <li>Includes: Auto Level &amp; Hard Carry Case</li> </ul>			

## Cross Line Laser Level



NEW

LCL2	Cross Line Laser Level - Self Levelling	■ 002053	1
<ul style="list-style-type: none"> <li>Cross line, horizontal and vertical line modes for multiple applications including plumbing applications, panelling, door hanging, wall papering, cabinet installation, dado panelling, curtain track levelling, two tone painting lines, wall and floor tiling, picture hanging, window framing, switch and fitting placement</li> </ul>		<ul style="list-style-type: none"> <li>Ideal for indoor use</li> <li>Wide beam angle for maximum coverage</li> <li>High intensity, high visibility laser line</li> <li>Auto levelling with out-of-level warning</li> <li>Estimated battery life of 30 hours, 4 of AA(LR6) / 1.5V batteries included</li> <li>Supplied with padded carry bag</li> </ul>	

## Multi-Line Laser Level



PRO SERIES

LCL4	Multi Line Laser Level	■ 000936	1
<ul style="list-style-type: none"> <li>Suitable for indoor applications</li> <li>Visible laser lines for horizontal and vertical levelling, can be operated individually or together</li> <li>Out of level indicator</li> <li>Vertical and horizontal plane indicator lights</li> <li>DC adaptor input</li> <li>Safety orange colour for easy visibility on building sites</li> </ul>		<ul style="list-style-type: none"> <li>Pendulum lock protects unit during transportation</li> <li>Base fits standard tripod with 5/8" thread</li> <li>Includes soft carry case</li> <li>Ideal for cabinet installation, floor and tiling projects, installing suspended ceilings and any indoor project that requires alignment</li> <li>Includes Laser &amp; Stand</li> </ul>	

## Laser Square



PRO SERIES

NEW

LLS1	Super Square Laser	■ 002480	1
<ul style="list-style-type: none"> <li>Simple alignment for right angles</li> <li>Vertical levelling inbuilt spirit levels</li> <li>Two easily visible laser lines for all alignment work on the floor and vertical alignment on walls</li> </ul>		<ul style="list-style-type: none"> <li>Back-lit illuminated spirit levels</li> <li>Robust 90 degree metal try square edge</li> <li>Right angle accuracy 0.05 degree</li> <li>Includes laser goggles, carrying case and batteries</li> </ul>	

## Laser Distance Measurer



PRO SERIES

NEW

LLM40	Laser Distance Measurer	■ 002565	1
<ul style="list-style-type: none"> <li>Precise measurement using a laser beam. This enables accurate measurements to be made close to obstacles.</li> <li>Consistent measuring accuracy up to 40m: +/- 3mm.</li> <li>Simple height measurement for outer walls with the Pythagoras function, calculated automatically at the press of a button.</li> <li>Simple assessment of room perimeter with the Addition and Subtraction functions.</li> </ul>		<ul style="list-style-type: none"> <li>The Area and Volume functions permit the calculation of room sizes.</li> <li>Measurement range of 0.3m to 40m. Strong sunlight can reduce the measurement range.</li> <li>The integrated spirit-level permits precise alignment of the device.</li> <li>Recall function for the last 10 measured values.</li> <li>Illuminated LC display.</li> </ul>	

## Dual Beam Rotary Laser & Detector



PRO SERIES

LR502	Dual Beam Rotary Laser & Detector	■ 111809	1
<ul style="list-style-type: none"> <li>Includes: Laser, Detector &amp; Carry Case, DC Adapter input</li> <li>Manual leveling in both horizontal and vertical modes.</li> <li>Variable speed 360 degrees rotation, 0 to 150rpm.</li> <li>Plumb beam up for vertical alignment projects.</li> <li>DC adaptor input.</li> <li>Two scan modes (short and long) to create a visible laser line (indoor applications).</li> <li>Safety orange for easy visibility on building sites.</li> <li>Rain and dust proof.</li> </ul>		<ul style="list-style-type: none"> <li>Fits standard tripod with 5/8" thread.</li> <li>Includes soft carry case.</li> <li>Ideal for leveling of concrete floors and foundations, installing suspended ceilings, indoor and outdoor tiling projects and any other project which requires alignment or leveling.</li> </ul>	



## Self Levelling Rotary Laser and Detector



PRO SERIES

Material Number	Description mm/in	APN/UPC	Shelf Pack
LSL160	Self Levelling Rotary Laser and Detector	■ 002503	1

- Horizontal self-levelling by magnetically-dampened pendulum system, vertical alignment via adjustable base wall mount
- Laser 635nm, accuracy 2mm/10m, dust and splash-water protected per IP 54.
- Self-levelling range, 3.5° with tilt function
- For all horizontal and vertical alignment work

- The vertical plumb reference beam is suitable for dropping a perpendicular or for aligning partition walls
- The wall/floor bracket can be used to level the unit vertically or fasten it to a wall
- Includes: Laser, Detector (SL200), Wall Mount, Rechargeable Batteries & Charger

## Self Levelling Rotary Laser (with Gradient) Kit



PRO SERIES

Material Number	Description mm/in	APN/UPC	Shelf Pack
LSL250	Self Levelling Rotary Laser (with Gradient) Kit	■ 002534	1

- Robust waterproof housing, IP66
- Sensor Automatic: Electronic positioning motors controlled by temperature-stable sensors make horizontal alignment automatically
- ADS Tilt: Automatic shutoff by ADS (Anti-drift system), electronic monitoring of the measurement is continuous and switches the laser off when there is an external disturbance

- Has waterproof housing, front and rear side LC displays and strong holding magnets
- A manual slope mode permits the layout of gradients up to 5°
- Includes: Laser, Detector (SL310), Remote Control, Rechargeable Batteries, Charger, Case

## Dual Axis Rotary Laser Level Kit



PRO SERIES

Material Number	Description mm/in	APN/UPC	Shelf Pack
LDAL310S	Dual Axis Rotary Laser Level Kit	■ 002596	1

- Digital gradient setting: Deviation from the horizontal plane can be set digitally in X and Y axes.
- Sensor-Automatic: Electronic positioning motors controlled by temperature-stable sensors make horizontal alignment automatically.
- ADS tilt: Automatic shutoff by ADS (Anti-drift system). Electronic monitoring of the measurement is continuous and switches the laser off when there is an external disturbance.
- Laser Sector mode: The operating circle of the laser beam can be restricted to 4 individual sectors. High maximum rotation speed,

- 1100 r/min. The magnetic scope attachment included allows the instrument to be oriented precisely. All settings are presented on the large LC display.
- Robust waterproof housing IP66.
- All functions can be controlled with the remote from a distance of up to a maximum of 50m.
- Includes: Detector (SL310), Remote, Magnetic Sighting Scope, Rechargeable Batteries & Charger.

## Detectors



PRO SERIES

Material Number	Description mm/in	APN/UPC	Shelf Pack
LVH800	Laser Detector for Cross Line	■ 001650	1

- For use with LCL4 Multiline Laser Level
- Range 50m



Material Number	Description mm/in	APN/UPC	Shelf Pack
LS6	Laser Detector with Clamp	■ 111823	1

- For use with LR502
- Also compatible with other Rotary Laser Levels
- Range 150m



Material Number	Description mm/in	APN/UPC	Shelf Pack
SL310	Sensolite 310 Detector for LSL Lasers	■ 002510	1

- For use with LDAL310S, LSL160 & LSL250
- Also compatible with other Rotary Laser Levels
- Range 300m



Material Number	Description mm/in	APN/UPC	Shelf Pack
SC310	Sensocommander Remote Detector for LSL Lasers	■ 002527	1

- For use with LSL150 & LSL200
- Range 300m

## Accessories



Material Number	Description mm/in	APN/UPC	Shelf Pack
LLTP1	Laser Tilt Plate	■ 002558	1

- Precision tilt plate with micrometer
- Turns most laser levels into gradient levels
- Coarse graduations in 5° and fine adjustment down to 1/10 of 1 degree



TRIFH



TRIDH



SV01

TRIFH	Tripod, Quick Clamp Flat Head - 5/8" Thread	■ 111786	1
TRIDH	Tripod, Quick Clamp Dome Head - 5/8" Thread	■ 111762	1
SR4MS4	Survey Rod, 4m, 4 section	■ 111793	10
SV01	Hi-Viz Safety Vest	■ 122010	1

### Vest:

- Durable & washable light weight nylon.
- Bright orange HI-Viz colour for high visibility in daytime applications.
- Reflective strips for high visibility in low light situations.
- Easy to use velcro fasteners.
- One size fits most.



SR4MS4

## Lufkin® Selection Chart

Highly Recommended ✓✓  
Suitable ✓

	LAL20x & 24x	LCL2	LSL1	LLM40	LCL4	LR502	LSL160	LSL250	LDAL310S
<b>APPLICATIONS/TASKS</b>									
General surveying, up to house lot size.	✓				✓	✓	✓✓	✓✓	✓✓
Levels for Slab preparation.	✓				✓	✓	✓✓	✓✓	✓✓
Determining water drainage.	✓				✓	✓	✓✓	✓✓	✓✓
Site preparation.	✓				✓	✓	✓✓	✓✓	✓✓
Kitchen cupboards.	✓	✓			✓	✓	✓		
Placement of paving.			✓		✓	✓	✓	✓	✓
Wall and floor tiling.	✓	✓	✓		✓✓	✓	✓		
Hanging pictures and poster correctly.		✓			✓✓	✓	✓	✓	✓
Placing wall friezes.		✓			✓✓	✓	✓	✓	✓
Two tone painting lines.		✓			✓✓	✓	✓	✓	✓
Curtain track levels.		✓			✓✓	✓	✓	✓	✓
Placing picture rails.		✓			✓✓	✓	✓	✓	✓
Window and door frames.		✓	✓		✓✓	✓	✓	✓	✓
General Surveying, areas up to 50m.	✓					✓	✓✓	✓✓	✓✓
Operation only requires 1 person.		✓✓	✓✓	✓✓	✓✓	✓✓	✓✓		✓✓
General Surveying, areas up to 200m.	✓						✓✓	✓✓	✓✓
Adjustable for both X & Y Grades.						✓		✓	✓✓
Automatic setup, place and switch on.		✓			✓✓		✓✓	✓✓	✓✓
Fitted with Scan Mode for indoor use.							✓		
<b>DETECTORS, TRIPODS, TILT PLATE</b>									
LVB800						✓			
LS6						✓		✓	✓
SL310						✓	✓	✓	✓
SC310								✓	✓
TRIFH	✓	✓			✓	✓	✓	✓	✓
TRIDH	✓					✓		✓	
TILT PLATE (LLTPL) CAN BE USED WITH LEVELS		✓			✓	✓✓	✓	✓✓	✓

# Lufkin®

## LEATHERWARE BY PARKER

The Lufkin Leatherware by Parker range is specially designed for the professional tradesman or the handyman. Included in the range are quality aprons, nail and tool bags, and tool holsters.



Proudly made in  
Australia from  
top grade leather

## Construction Apron - 4 Pocket



Material Number	Description mm/in	APN/UPC	Shelf Pack
PNB1254	Construction Apron - 4 Pocket	9313413000125	1

- Four Nail/Fastener Pockets, Two Hammer Loops (Right or Left Hand), Solid Hide Tape Holster (Fits up to 8m/26ft Tape), Chisel Pouch, Square Pouch, Four Nail Punch/Pencil Pouches (Two with Slot for a Screwdriver), Heavy Duty 50mm Webbing Belt with Adjustable Side Release Buckle.
- Made from Premium Quality, Gold Suede Leather.



## Nail & Tool Bag - 2 Pocket



PNB1252	Nail & Tool Bag - 2 Pocket	9313413000149	1
---------	----------------------------	---------------	---

- Two Nail/Fastener Pockets, Tape Clip, Square Pouch, Two Nail Punch/Pencil Pouches (One with Slot for a Screwdriver), 70mm Wide Belt Loop to fit any Parker Leather or Webbing Belt.
- Made from Premium Quality, Gold Suede Leather.



## American Style Nail & Tool Apron



PA103AM	Nail & Tool Apron	9313413000200	1
---------	-------------------	---------------	---

- Four Nail/Fastener Pockets, Two hammer Loops (Right or Left Hand), Chisel Pouch, Square Pouch, Tape Clip, Two Nail Punch/Pencil Pouches (One with Slot for a Screwdriver), Heavy Duty 50mm Webbing Belt with Adjustable Side Release Buckle.
- Made from Premium Quality, Gold Suede Leather.



## Professional Nail Bag - 4 Pocket



PNB0994	Professional Nail Bag - 4 Pocket	9313413000217	1
---------	----------------------------------	---------------	---

- Two Large and Two Smaller Nail/Fastener Pockets, Reinforced Reversed End Gussets, Heavy Duty 50mm Webbing Belt with Adjustable Side Release Buckle.
- Made from Premium Quality, Gold Suede Leather.



## Professional Nail Bag - 2 Pocket



PNB0992	Professional Nail Bag - 2 Pocket	9313413000095	1
---------	----------------------------------	---------------	---

- Two Nail/Fastener Pockets, Reinforced Reversed End Gussets, Heavy Duty 50mm Webbing Belt with Adjustable Side Release Buckle.
- Made from Premium Quality, Gold Suede Leather.



## Construction Apron - 4 Pocket



PCA1234	Construction Apron - 4 Pocket	9313413012340	1
---------	-------------------------------	---------------	---

- Four Nail/Fastener Pockets, Hammer Loops, Square Holster, Solid Hide Tape Holster (Fits up to 8m/26ft Tape), Chisel Pouch, Four Nail Punch, Pencil Pouches (Two with Slot for a Screwdriver).
- Heavy Duty 50mm Webbing Belt with Adjustable Side Release Buckle.
- Made from Premium Gold Suede Leather



## D.I.Y. Nail & Tool Apron



TTA0282	D.I.Y. Nail & Tool Apron	9313413000316	1
---------	--------------------------	---------------	---

- Three Nail/Fastener Pockets, Hammer Loop, Square Holster, Tape Clip, Three Pouches for Chisel/Pencil/Knife/Nail Punch etc.
- 50mm Webbing Belt with Adjustable Side Release Buckle.
- Made from Heavy Duty Suede Leather.





## Nail Bag - 3 Pocket



Material Number	Description mm/in	APN/UPC	Shelf Pack
TNB0973	Nail Bag - 3 Pocket	9313413000088	1

- Three Nail/Fastener Pockets, Reinforced Reversed End Gussets.
- 50mm Webbing Belt with Adjustable Side Release Buckle.
- Made from Heavy Duty Suede Leather.



## Nail Bag - 2 Pocket



TNB0972	Nail Bag - 2 Pocket	9313413000071	1
---------	---------------------	---------------	---

- Two Nail/Fastener Pockets, Reinforced Reversed End Gussets.
- 50mm Webbing Belt with Adjustable Side Release Buckle.
- Made from Heavy Duty Suede Leather.



## Nail Bag (Rounded Bottom) - 2 Pocket



TNB1002	Nail Bag (Rounded Bottom) - 2 Pocket	9313413000118	1
---------	--------------------------------------	---------------	---

- Two Nail/Fastener Pockets, Fully Gusseted with Rounded Bottom Corners.
- 50mm Webbing Belt with Adjustable Side Release Buckle.
- Made from Heavy Duty Suede Leather.



## Electricians Tool Pouch



IELC127	Electricians Tool Pouch	9313413000286	1
---------	-------------------------	---------------	---

- Six Pockets for Tools, Four Screwdriver Loops, Wire Swing Holder for Insulation Tape, Heavy Duty.
- 50mm Webbing Belt with Adjustable Side Release Buckle.
- Made from Full Grain Solid Hide Black Leather.



## Complete Scaffold Belt - Heavy Duty



PSBHD	Complete Scaffold Belt - Heavy Duty	9313413000484	1
-------	-------------------------------------	---------------	---

- Heavy duty premium grade leather.
- Riveted to ensure toughness and quality.
- Designed and manufactured in Australia to suit Australian conditions.
- Trade quality, manufactured by an ISO 9001 Certified Company.



## Rigger's Belt



IRST200	Rigger's Belt	9313413000293	1
---------	---------------	---------------	---

- Safety Holsters for Podger Spanner, Tape, Torpedo Level and Shifting Spanner, Cast Iron Plated Buckle.
- Made from Full Grain Solid Black Hide Leather.



## Double Saw Cover



Material Number	Description mm/in	APN/UPC	Shelf Pack
PDSC113	Double Saw Cover	9313413000255	1

- Two Pockets for Rip, Hand or Panel Saws, Inserts to Protect Saw Teeth, Adjustable Buckle & Leather Strap.
- Made from Heavy Duty, Non Corroding, Premium Gold Suede Leather.
- Length: 680mm.



## Chisel Roll - 9 Pocket



PCR1149	Chisel Roll - 9 Pocket	9313413000262	1
---------	------------------------	---------------	---

- Nine Pockets to fit 3mm to 50mm Chisels, Adjustable Buckle & Leather Strap for Fastening Roll.
- Made from Heavy Duty, Non Corroding, Vegetable Tanned Leather.



## Swing Loop Hammer Holster



PHHS111	Swing Loop Hammer Holster	9313413000019	1
---------	---------------------------	---------------	---

- Wire Swing Loop holds Hammer Vertical when Holster is Tilted, 60mm Belt Slots.
- Made from Solid Hide Leather.



## High Hang Hammer Holster



THH111L	High Hang Hammer Holster	9313413000479	1
---------	--------------------------	---------------	---

- Wire Fixed Loop sits High on Belt.
- 60mm Belt Slots.
- Made from Solid Hide Leather.



## Moulded Plier Holster



PPH0307	Moulded Plier Holster	9313413000057	1
---------	-----------------------	---------------	---

- Moulded Front fits up to 260mm Combination Pliers.
- 60mm Belt Slots.
- Made from Solid Hide Leather.



## Chisel Holster



PCH0109	Chisel Holster	9313413000026	1
---------	----------------	---------------	---

- Fits up to a 50mm Chisel.
- 60mm Belt Slots.
- Made from Solid Hide Leather.



## Shifting Spanner Holster



IRST123	Shifting Spanner Holster	9313413001238	1
---------	--------------------------	---------------	---

- Leather Strap with Press Stud.
- 60mm Wide Belt Loop.
- Made from Solid Hide Leather.



## Podger Spanner Holster



IRST120	Podger Spanner Holster	9313413001207	1
---------	------------------------	---------------	---

- Leather Strap with Press Stud.
- 60mm Wide Belt Loop.
- Made from Solid Hide Leather.



## Leather Belt



Material Number	Description mm/in	APN/UPC	Shelf Pack
IRST124	50mm Leather Belt	9313413001245	1

- Adjustable up to 1.17m/46", Cast Iron Plated Buckle.
- Made from Solid Hide Leather.



## Webbing Belt



PWB0050	50mm Webbing Belt	9313413004031	1
---------	-------------------	---------------	---

- Adjustable up to 1.17m/46", Side Release Buckle.
- Fits all Parker Holster and Pouches.
- Made from Heavy Duty Polyester Webbing.



## Side Release Buckle



PSR0050	50mm Side Release Buckle	9313413004123	1
---------	--------------------------	---------------	---

- Fits all Parker 50mm Webbing Belts.



## Axe Head Cover



TAHC133	Axe Head Cover	9313413004147	1
---------	----------------	---------------	---

- Fits all Axe and Hatchet Heads, Leather Insert to Protect Cutting Edge, Adjustable Buckle & Leather Strap.
- Made from Solid Hide Leather.



## Knee Protectors



Material Number	Description mm/in	APN/UPC	Shelf Pack
LKPF	Orange/Hi-Viz	9319929225755	1

- Designed for all Trades, Home & Garden.
- Acid, Oil and Heat resistant face.
- Easy to adjust straps.
- Removable inserts.
- Clam shell packaging.



LKPN	Navy/Blue	9319929227773	1
------	-----------	---------------	---

- Designed for all Trades, Home & Garden.
- Acid, Oil and Heat resistant face.
- Easy to adjust straps.
- Removable inserts.
- Clam shell packaging.



LPPB	Professional	9319929330053	1
------	--------------	---------------	---

- Black/Blue Strap.
- Single strap.
- Lightweight.
- Non-marking.
- Upper shin protection.
- Clam shell packaging.



LPHD	Pro 2 Black/Maroon Strap	9319929330022	1
------	--------------------------	---------------	---

- Extra Heavy Duty. Slip resistant.
- Single strap. Non marking. Lightweight.
- Upper shin protection.